



| 1 | GBdetergent 3D | Nonionic wetting agent, APEO-free, penetrating & foam suppressant economical for all processes & reducing silicon |
|---|-------------------------------|---|
| | | precipitation in finishing liquor, has a strong detergent action. |
| 2 | GB detergent GB Conc | low-foaming detergent and wetting agent, APEO-free, with an emulsifying and extractive action, used in pretreatment |
| | | processes to mobilize and remove the impurities present in cotton. |
| 3 | GB detergent High Conc | • Nonionic, wetting agent, APEO-free, pretreatment detergent for use in textile processing& Foam suppressant. |
| | | • Pre-Scouring, boiling-off and bleaching in a long liquor. |
| | | • Soaping off after dyeing. |
| | | • Continuous bleaching & exhaust. |
| | | • Reducing silicon oils from precipitation in the finishing liquor and stabilize the finishing liquor. |
| 4 | GB detergent Plus | Economical Nonionic wetting agent, APEO-free, & detergent. |
| 5 | GB detergent SRM Conc | •wetting agent, APEO-free, & detergent, granting high wetting results & antifoam. |
| | | •100% concentrated product, not dilutable by water but it can be diluted with organic solvent. |
| | | It is used in its concentrated form directly to the liquor (medium) |
| 6 | GBdetergent SRMD | Nonionic wetting agent, APEO-free, & detergent. |
| 7 | GBstain removal STRM | Special, APEO-free, no perchloroethylene & no chlorineetc. ,emulsifying , wetting agent and detergent for removing |
| | | oily, fatty and waxy impurities and improving the absorbency & Dissolves & remove heavy stains & oils from textiles |
| | | during pretreatment. |
| | | Especially by local application. |
| 8 | GB detergent Suppra | anionic Wetting agent, APEO-free, detergent for pretreatment & reactive dying |
| 9 | GB detergent OS Conc | is one shot product for Pretreatment Co & Co blends exhaust as well as continuous, |
| | | and has very good emulsifying, dispersing and stabilizing properties |
| | | in peroxide bleaching. & Has a strong detergent action and wetting agent, APEO-free |

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Cairo head office: 9,square 1163,El Shaheed Fouad Thabet St.,El Wozara square Sheraton Heliopolis.Cairo- Egypt

Tel: +20222683983, +201228099699 , +202 2268466 E-mail: logistics@gb-chem.net , gbchem@gb-chem.net

Alex. Office: 6, Talat Harb St., Downtown Alexandria, Egypt





| 10 | GB lubricant Jet | Universal lubricant and crease inhibitor for textile processing in rope dyeing machines: |
|----|----------------------------------|--|
| | | • improves running properties |
| | | • protects the fabric surface |
| | | • prevents running creases |
| | | Auxiliary for increasing liquor pickup in padding processes. |
| 11 | GB lubricant LS | Lubricant, emulsifying, Scouring agent, low foaming and APEO free wetting. Avoids creasing and friction |
| | | damage during dyeing in rope machines. Prevents apparition of stains due to spinning oil, waxes or grease |
| | | contamination. |
| 12 | GB sequestering TA-S Liq | Organic Complex agent for the textile industry, Bio-eliminable; |
| | | the decomposition products formed are non-toxic to fish and micro-organisms. |
| | | The GBsequestering TA types form water-soluble of heavy earth's metals. |
| | | Suitable for softening treatment baths, removing incrustations, CA& MG, FE |
| | | by water-hardening salts and preventing yellowing of the fabric caused by iron compounds. |
| 13 | GB sequestering TA Powder | Organic Complex agent for the textile industry, Bio-eliminable; the decomposition products formed are non-toxic to |
| | | fish and micro-organisms. |
| | | The GBsequestering TA types form water-soluble of heavy earth's metals. |
| | | Suitable for softening treatment baths, removing incrustations, CA& MG,FE |
| | | by water-hardening salts and preventing yellowing of the fabric caused by iron compounds. |
| 14 | GB stabilizer PL | Organic Peroxide stabilizer with a dispersing action bleaching cellulosic fibers in long liquors & continuous |
| | | process. |
| 15 | GBstabilizer PL New | Economical Organic Peroxide stabilizer with a dispersing action, for bleaching cellulosic fibers in long liquors |
| | | &continuous process. |

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Cairo head office: 9,square 1163,El Shaheed Fouad Thabet St.,El Wozara square Sheraton Heliopolis.Cairo- Egypt

Tel: +20222683983, +201228099699 , +202 2268466 E-mail: logistics@gb-chem.net , gbchem@gb-chem.net

Alex. Office: 6, Talat Harb St., Downtown Alexandria, Egypt





| 16 | GBstabilizer PL Conc | Highly concentrated Organic Peroxide stabilizer with a dispersing action bleaching cellulosic fibers in long liquors & continuous process. |
|----|---------------------------|---|
| 17 | GBwetting MC | Universally applicable, economical low foaming padding auxiliary for continuous and semi continuous dyeing processes, wetting agent, APEO-free, and deaerating agent for dyeing cellulosic fibers and their blends. |
| 18 | GBscoure KB | Non-surface-active auxiliary for the alkaline pretreatment of different cellulosic fibers, particularly grey cotton, alone and in blend with synthetic fibers, high degree of absorbance & whiteness plus prevention of oxy-cellulose formation, not to be used with H2O2 |
| 19 | GBmercerizing MC | Anionic APEO free Wetting agent for mercerizing and causticizing cotton in the form of woven and knitted fabrics and yarn intermediates for Nickel electroplating, used as low-foaming wetting agent, suitable for air agitation. Anionic APEO free Wetting agent to be used for reactive dyeing to granting full penetration and increasing levelness and deep coloring |
| 20 | GBmercerizing MC Plus | * Conc. Anionic APEO free Wetting agent for mercerizing and causticizing cotton in the form of woven and knitted fabrics and yarn intermediates for Nickel electroplating ,used as low-foaming wetting agent, suitable for air agitation. Anionic APEO free Wetting agent to be used for reactive dyeing to granting full penetration and increasing levelness and deep coloring |
| 21 | GBwet & Deaerator NF Conc | Universally applicable, anti-foaming padding auxiliary for continuous and semi-continuous dyeing & Exhaust processes; wetting agent, APEO-free, and deaerating agent for dyeing cellulosic fibers & their blends. |
| | | 100% concentrated product, not dilatable by water, but it can be diluted with organic solvent. It is used in its concentrated form directly to the liquor (medium) |

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Cairo head office: 9, square 1163, El Shaheed Fouad Thabet St., El Wozara square Sheraton Heliopolis. Cairo- Egypt

Tel: +20222683983, +201228099699 , +202 2268466 E-mail: logistics@gb-chem.net , gbchem@gb-chem.net

Alex. Office: 6, Talat Harb St., Downtown Alexandria, Egypt





| 22 | GB mercerizing MC Conc | Highly conc. Anionic APEO free Wetting agent for mercerizing and causticizing cotton in the form of woven and |
|----|-------------------------------|---|
| | | knitted fabrics and yarn intermediates for Nickel electroplating, used as low-foaming wetting agent, suitable for air |
| | | agitation. |
| | | Anionic APEO free Wetting agent to be used for reactive dyeing to granting full penetration and increasing levelness |
| | | and deep coloring |
| 23 | GBkol MSD | Extracting agent, economical sequestering agent. |
| | | and dispersant with stabilizing and anti-catalytically effect in the alkaline peroxide bleach, used to promote the |
| | | degree of whiteness and to improve the absorbency. |
| 24 | GB bleaching Powder | (One shot) Powder oxidizing agent replacing H2O2 & including, |
| | | Wetting agent, APEO-free, detergent emulsifier for all types of fabrics. |
| | | no perborates & no chlorineetc. |
| 25 | GBpower gel | ■ High concentrated uinque detergent for multiple uage e.g.granting: |
| | | sanitization, softness and brightness for all kinds of textile fabrics (white or colored) |
| | | as well as applicable for both automatic and manual machines. |
| | | Especially suitable for sensitive fabrics like viscose, wool & silk. |
| | | Eco-friendly, APEO free & Chlorine-free. |
| | | □ For all types of dyes: |
| | | # is used for after treatment of dying and printing to get best fastness. |
| | | ## is used for dying and printing as leveling, dispersing, peneterating & increasing color yield. |

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Cairo head office: 9, square 1163, El Shaheed Fouad Thabet St., El Wozara square Sheraton Heliopolis. Cairo- Egypt

Tel: +20222683983, +201228099699 , +202 2268466 E-mail: logistics@gb-chem.net , gbchem@gb-chem.net

Alex. Office: 6, Talat Harb St., Downtown Alexandria, Egypt





| 26 | GBdegreaser KLM | High concentrated (APEO free) degreaser & anti-back staining. |
|----|-----------------|--|
| | | Very powerful washing agent for improving the rub fastness of vat dyeing & all other types of |
| | | dyes. Also removing pigment deposits. |
| | | Silk degumming, |
| | | Improves rub & washing fastness of indigo dyed denim garments. |
| | | Improves the rub fastness of Naphthol AS dyeing & It has proved particularly useful in package |
| | | dyeing |

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Cairo head office: 9,square 1163,El Shaheed Fouad Thabet St.,El Wozara square Sheraton Heliopolis.Cairo- Egypt

Tel: +20222683983, +201228099699 , +202 2268466 E-mail: logistics@gb-chem.net , gbchem@gb-chem.net

Alex. Office: 6, Talat Harb St., Downtown Alexandria, Egypt